


CERTIFICATE OF ANALYSIS

PRODUCED: DEC 30, 2024

SAMPLE: CALI GAS 2G DISPOSABLE (CONCENTRATE) // CLIENT: MUHA MEDS / MICHIGAN INVESTMENTS 10 INC. // BATCH: PASS



BATCH NO.: 145190
 MATRIX: CONCENTRATE
 CATEGORY: INHALABLE
 SAMPLE ID: KL-241226-009
 COLLECTED ON: DEC 26, 2024
 RECEIVED ON: DEC 26, 2024
 BATCH/SAMPLE SIZE: 5292 UNITS / 8 UNITS
 RECEIVED BY: DONNA YE

CANNABINOID OVERVIEW	
SUM OF CANNABINOIDS:	96.48 %
TOTAL THC:	91.68 %
Δ ⁹ -THC:	91.68 %

MANUFACTURER INFO

MANUFACTURER
 MUHA MEDS / MICHIGAN INVESTMENTS
 10 INC.
 772 E PINCONNING RD
 PINCONNING, MI 48650

LICENSE
 AU-P-000171
 ADULT-USE - MARIHUANA PROCESSOR

DISTRIBUTOR INFO

DISTRIBUTOR
 MUHA MEDS / MICHIGAN INVESTMENTS
 10 INC.
 772 E PINCONNING RD
 PINCONNING, MI 48650

LICENSE
 AU-P-000171
 ADULT-USE - MARIHUANA PROCESSOR

BATCH RESULT: PASS

ADDITIVES	PASS
CANNABINOIDS	PASS
METALS	PASS
LIPIDS	PASS
PESTICIDES	PASS
SOLVENTS	PASS

CHEM-004.01: QUANTITATIVE CANNABINOIDS ANALYSIS BY HPLC-DAD // DEC 28, 2024

ANALYTE	PASS/FAIL	LIMIT (%)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	ANALYTE	PASS/FAIL	LIMIT (%)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)
CBC	N/A		0.40	4.0	0.30/0.50	Δ ⁸ -THC	Pass	10	ND	ND	0.30/0.50
CBD	N/A		0.21	2.1	0.30/0.50	Δ ⁹ -THC	N/A		91.68	916.8	0.30/0.50
CBDA	N/A		ND	ND	0.30/0.50	Exo-THC	N/A		ND	ND	0.30/0.50
CBDV	N/A		ND	ND	0.30/0.50	THCA	N/A		ND	ND	0.30/0.50
CBG	N/A		2.72	27.2	0.30/0.50	THCV	N/A		0.52	5.2	0.30/0.50
CBGA	N/A		ND	ND	0.30/0.50	Total THC**	N/A		91.68	916.8	
CBN	N/A		0.95	9.5	0.30/0.50	Total CBD**	N/A		0.21	2.1	

** TOTAL THC = DELTA-8-THC + DELTA-9-THC + (THCA X 0.877)
 ** TOTAL CBD = CBD + (CBDA X 0.877)

RESULTS CERTIFIED BY: DOUGLAS A DUNCAN
 LABORATORY DIRECTOR, KAIROS LABORATORIES
 DEC 30, 2024



The test results relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of the laboratory. Reference to accreditation shall be used only by full reproduction of test report.

QUANTITATIVE LIPIDS ANALYSIS BY HPLC-DAD // DEC 28, 2024

ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)
Glycerol tricaprata (C10)	Pass	100	ND	Glycerol tricaprlylate (C8)	Pass	100	19.58
Glycerol tricaprionate (C6)	Pass	100	ND	Glycerol trilaurate (C12)	Pass	100	ND

: QUANTITATIVE ADULTERANT ANALYSIS BY HPLC-DAD // DEC 28, 2024

ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ
Vitamin E Acetate	Pass	100	ND	

CHEM-009.01: QUANTITATIVE GC-CHEMICAL RESIDUES ANALYSIS BY GC-MS/MS // DEC 29, 2024

ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ	ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ
Chlorfenapyr	Pass	1	ND		Methyl parathion	Pass	0.2	ND	
Cyfluthrin	Pass	1	ND		MGK-264	Pass	0.2	ND	
Cypermethrin	Pass	1	ND		Permethrin	Pass	0.2	ND	

CHEM-008: QUANTITATIVE LC-CHEMICAL RESIDUES ANALYSIS BY LC-MS/MS // DEC 30, 2024

ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)
Abamectin	Pass	0.5	ND	0.12/0.12	Kresoxim-methyl	Pass	0.4	ND	0.01/0.03
Abamectin Ba	N/A		ND		Malathion	Pass	0.2	ND	0.02/0.06
Abamectin Bb	N/A		ND		Metaxyl	Pass	0.2	ND	0.01/0.02
Acephate	Pass	0.4	< LOQ	0.00/0.01	Methiocarb	Pass	0.2	ND	0.03/0.07
Acequinocyl	Pass	2	< LOQ	0.00/0.01	Methomyl	Pass	0.4	ND	0.01/0.03
Acetamiprid	Pass	0.2	ND	0.01/0.02	Myclobutanil	Pass	0.2	ND	0.03/0.08
Aldicarb	Pass	0.4	ND	0.02/0.06	Naled	Pass	0.5	ND	0.03/0.08
Azoxystrobin	Pass	0.2	ND	0.01/0.02	Oxamyl	Pass	1	ND	0.01/0.02
Bifenazate	Pass	0.2	ND	0.02/0.05	Paclobutrazol	Pass	0.4	ND	0.01/0.02
Bifenthrin	Pass	0.2	ND	0.01/0.02	Phosmet	Pass	0.2	ND	0.01/0.04
Boscalid	Pass	0.4	ND	0.03/0.08	Prallethrin	Pass	0.2	ND	0.03/0.08
Carbaryl	Pass	0.2	ND	0.01/0.03	Propiconazole	Pass	0.4	ND	0.01/0.03
Carbofuran	Pass	0.2	ND	0.01/0.01	Propoxur	Pass	0.2	ND	0.02/0.04
Chlorantranil-iprole	Pass	0.2	ND	0.02/0.06	Pyrethrins	Pass	1	ND	
Chlorpyrifos	Pass	0.2	ND	0.01/0.03	Pyrethrins Cinerin I	N/A		ND	0.00/0.00
Clofentezine	Pass	0.2	ND	0.01/0.03	Pyrethrins Cinerin II	N/A		ND	0.00/0.00
Daminozide	Pass	1	ND	0.01/0.02	Pyrethrins Jasmolin I	N/A		ND	0.00/0.00
Diazinon	Pass	0.2	ND	0.01/0.03	Pyrethrins Jasmolin II	N/A		ND	0.00/0.00
Dichlorvos	Pass	1	ND	0.02/0.04	Pyrethrins Pyrethrin I	N/A		ND	0.01/0.03
Dimethoate	Pass	0.2	ND	0.01/0.03	Pyrethrins Pyrethrin II	N/A		ND	0.01/0.03
Ethoprophos	Pass	0.2	ND	0.01/0.03	Pyridaben	Pass	0.2	ND	0.01/0.02
Etofenprox	Pass	0.4	ND	0.01/0.02	Spinosad	Pass	0.2	ND	
Etoazole	Pass	0.2	ND	0.01/0.01	Spinosad A	N/A		ND	
Fenoxycarb	Pass	0.2	ND	0.02/0.05	Spinosad D	N/A		ND	
Fenpyroximate	Pass	0.4	ND	0.01/0.02	Spiromesifen	Pass	0.2	ND	0.01/0.01
Fipronil	Pass	0.4	ND	0.08/0.21	Spirotetramat	Pass	0.2	ND	0.01/0.02
Flonicamid	Pass	1	ND	0.03/0.06	Spiroxamine	Pass	0.4	ND	0.01/0.02
Fludioxonil	Pass	0.4	ND	0.03/0.07	Tebuconazole	Pass	0.4	ND	0.01/0.03
Hexythiazox	Pass	1	ND	0.01/0.02	Thiacloprid	Pass	0.2	ND	0.01/0.02
Imazalil	Pass	0.2	ND	0.03/0.07	Thiamethoxam	Pass	0.2	ND	0.02/0.05
Imidacloprid	Pass	0.4	ND	0.01/0.03	Trifloxystrobin	Pass	0.2	ND	0.01/0.01

ELEM-006.01: QUANTITATIVE ELEMENTAL ANALYSIS BY ICP-MS // DEC 28, 2024

ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)
Arsenic	Pass	0.2	ND	0.00/0.00	Lead	Pass	0.5	0.01	0.00/0.00
Cadmium	Pass	0.2	ND	0.00/0.00	Mercury	Pass	0.1	ND	0.00/0.00
Chromium	Pass	0.6	ND	0.00/0.00	Nickel	Pass	0.5	0.01	0.00/0.00
Copper	Pass	3	0.06	0.00/0.00					

CHEM-011.01: QUANTITATIVE RESIDUAL SOLVENTS ANALYSIS BY GC(HS)-MS // DEC 28, 2024

ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	ANALYTE	PASS/FAIL	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)
					Ethylene oxide	Pass	5	ND	0.68/1.95

RESULTS CERTIFIED BY: DOUGLAS A DUNCAN
 LABORATORY DIRECTOR, KAIROS LABORATORIES
 DEC 30, 2024

Douglas A Duncan

The test results relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of the laboratory. Reference to accreditation shall be used only by full reproduction of test report.

REGULATORY COMPLIANCE TESTING

1,2-Dichloroethane	Pass	2	ND	0.23/0.23	Heptane	Pass	500	ND	2.60/7.81
2,2-Dimethylbutane	Pass	50	ND	2.60/7.81	Hexane	Pass	50	ND	2.60/7.81
2,3-Dimethylbutane	Pass	50	ND	2.60/7.81	Hexanes all isomers	Pass	50	ND	2.60/7.81
2-Methylbutane	Pass	750	ND	2.60/7.81	Isobutane	Pass	800	ND	2.60/7.81
2-Methylpentane	Pass	50	ND	2.60/7.81	Isopropyl alcohol	Pass	500	ND	2.60/7.81
3-Methylpentane	Pass	50	ND	2.60/7.81	Methanol	Pass	250	ND	2.60/7.81
Acetone	Pass	750	ND	2.60/7.81	Methylene chloride	Pass	125	ND	2.60/7.81
Acetonitrile	Pass	60	ND	2.60/7.81	Neopentane	Pass	750	ND	2.60/7.81
Benzene	Pass	1	ND	0.13/0.39	Pentane	Pass	750	ND	2.60/7.81
Butane	Pass	800	ND	2.60/7.81	Pentanes all isomers	Pass	750	ND	2.60/7.81
Butanes all isomers	Pass	800	ND	2.60/7.81	Propane	Pass	2100	ND	2.60/7.81
Chloroform	Pass	2	ND	0.26/0.78	Toluene	Pass	150	ND	2.60/7.81
Ethanol	Pass	1000	10.84	4.33/7.81	Total xylenes	Pass	150	ND	2.60/7.81
Ethyl acetate	Pass	400	ND	2.60/7.81	Trichloroethylene	Pass	25	ND	0.26/0.78
Ethyl ether	Pass	500	ND	2.60/7.81					

RESULTS CERTIFIED BY: DOUGLAS A DUNCAN
 LABORATORY DIRECTOR, KAIROS LABORATORIES
 DEC 30, 2024

Douglas A Duncan

The test results relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of the laboratory. Reference to accreditation shall be used only by full reproduction of test report.